

# OVERVIEW

Welcome to T+A , your trusted partner in high quality hardware solutions, with a commitment to excellence and innovation, we provide a wide range of products designed to meet your every need, Quality: Offering products that meet stringent industry standards. Explore our catalogue to discover top-of-the-line hardware that ensures durability, functionality, and performance.

# INDEX

## FURNITURE FITTINGS

1	HINGES	01
2	CONNECTING FITTINGS	05
3	UNDER-MOUNT RUNNERS	08
4	SS WIRE SERIES	12
5	KITCHEN ACCESSORIES	17
6	CUTLERY TRAY	20



# HINGES

1. Clip on Hinge
2. Door Hinge





## Technical Specification

- Depth of hinge cup 11.6mm
- Opening angle 105°
- Cup diameter 35mm
- Gradual closing
- Thickness of the door 17-21mm



Cycle Tested

Product	Article No	Description	Qty	Unit	PU	MRP
	400752100	TA Soft Close Hinge 2D Full Overlay,with 4 hole MP,with arm cover cap	1	Pair	50	275
	400752108	TA Soft Close Hinge 2D Half Overlay,with 4 hole MP,with arm cover cap	1	Pair	50	281
	400752115	TA Soft Close Hinge 2D Inset,with 4 hole MP,with arm cover cap	1	Pair	50	287
	400753100	TA Soft Close Hinge Full Overlay,with 3D MP, with arm cover cap	1	Pair	50	335
	400753108	TA Soft Close Hinge Half Overlay,with 3D MP,with arm cover cap	1	Pair	50	341
	400753115	TA Soft Close Hinge Inset,with 3D MP,with arm cover cap	1	Pair	50	347



## Technical Specification

- SS 304 grade
- SS Ball Bearing & pin
- Better rotational movement

Product	Article No	Description	Qty	Unit	PU	MRP
	400740433	SS 304 Hinge 4"x3"x3 mm with SS Screws	1	Pair	10	1020
	400740533	SS 304 Hinge 5"x3"x3 mm with SS Screws	1	Pair	10	1200
	400741433	SS 304 Hinge 4"x3"x3 mm Antique Brass Finish with SS same finish Screws	1	Pair	10	1200
	400741533	SS 304 Hinge 5"x3"x3 mm Antique Brass Finish with SS same finish Screws	1	Pair	10	1400



## Technical Specification

- SS Grade material
- Better rotational movement

Article No	Description	Qty	Unit	PU	MRP
400742316	BUTT HINGE -3"x2"x1.7 mm SS 202,Without Screw	1	Pair	20	206
400742314	BUTT HINGE -3"x2"x1.9 mm SS 202 ,Without Screw	1	Pair	20	232
400742312	BUTT HINGE -3"x2"x 2.5 mm SS 202 ,Without Screw	1	Pair	20	249
400742414	BUTT HINGE -4"x2.5"x1.9 mm SS 202 ,Without Screw	1	Pair	20	317
400742412	BUTT HINGE -4"x2.5"x 2.5 mm SS 202 ,Without Screw	1	Pair	20	378
400742410	BUTT HINGE -4"x 3"x 3 mm SS 202 ,Without Screw	1	Pair	20	644
400742514	BUTT HINGE -5"x2.5"x1.9 mm SS 202 ,Without Screw	1	Pair	20	412
400742512	BUTT HINGE -5"x2.5"x 2.5 mm SS 202 ,Without Screw	1	Pair	20	480
400742510	BUTT HINGE -5"x 3"x 3 mm SS 202 ,Without Screw	1	Pair	20	712


1. Cam
2. Dowel
3. Socket

# CONNECTING FITTINGS


# CAM FITTING




- For 18/19 mm Board




- For 15/16 mm Board  
15 mm board For heavy duty application



- For 12 mm Board



- For 18/19 mm Board-E




# DOWELS



## EURO SCREW

-Direct fixing into panel without plastic socket


- The optimal selection for high performance fastening solution
- Directly fix in wood
- 6mm drilling required
- Article no: 523063411



## RAPID ASSEMBLY


-With inbuilt self expanding socket

- Optimize your workflow with our rapid assembly
- 6mm drilling required
- Article no: 523083011




## MACHINE FIX SCREW

- 3 Part assembly
- 10mm hole drilling
- used along with socket
- Available in 24 & 34mm
- Article no: 24mm(523062408)  
34mm(523063408)



## Socket

Available in 10mm, 8mm



Product	Article No	Description	Qty	Unit	PU	MRP
---------	------------	-------------	-----	------	----	-----



522151813	For 18/19 mm board	1	Pc	5000	12
522151511	For 15/16 mm board	1	Pc	5000	8
522151213	For 12 mm board	1	Pc	5000	9
522151853	For 18/19 mm board -Eco	1	Pc	5000	9



523063411	Euro Thread- direct fix without socket 34 mm	1	Pc	5000	3
-----------	--	---	----	------	---



523083011	Rapid assembly- with inbuilt socket 34 mm	1	Pc	5000	5
-----------	---	---	----	------	---



523062408	Machine Thread- 24 mm	1	Pc	5000	3
523063408	Machine Thread- 34 mm	1	Pc	5000	3



937061000	Plastic Socket- 10 mm	1	Pc	5000	2
937060800	Plastic Socket- 8 mm	1	Pc	5000	2

1. Full Extension
2. Partial Extension

# UNDER MOUNT RUNNERS



## Technical Specification

- Full Extension
- Smooth functioning
- Gradual closing system



## Concealed slide full extension Pin mount, soft-close

Article No	Description	Qty	Unit	PU	MRP
7391303300	Full extn. undermount slide,300 mm	1	Set	10	1626
7391303350	Full extn. undermount slide,350 mm	1	Set	10	1722
7391303400	Full extn. undermount slide,400 mm	1	Set	10	1819
7391303450	Full extn. undermount slide,450 mm	1	Set	10	1917
7391303500	Full extn. undermount slide,500 mm	1	Set	10	2014
7391303550	Full extn. undermount slide,550 mm	1	Set	10	2153



Locking Clip  
(2Way adjust)

## Technical Specification

- Full Extension
- Smooth functioning
- Gradual closing system



Cycle Tested



30kg


## Concealed slide full extension,with 1D handle, Soft-close

Article No	Description	Qty	Unit	PU	MRP
7390304300	Full extn. undermount slide,300 mm	1	Set	10	1708
7390304350	Full extn. undermount slide,350 mm	1	Set	10	1800
7390304400	Full extn. undermount slide,400 mm	1	Set	10	1903
7390304450	Full extn. undermount slide,450 mm	1	Set	10	2000
7390304500	Full extn. undermount slide,500 mm	1	Set	10	2097
7390304550	Full extn. undermount slide,550 mm	1	Set	10	2236



## Technical Specification

- Part Extension
- Smooth functioning
- Gradual closing system




## Concealed slide Pin mount, Soft-close

Article No	Description	Qty	Unit	PU	MRP
7697203300	Partial extn. (7/8") undermount slide,300 mm	1	Set	10	931
7697203350	Partial extn. (7/8") undermount slide,350 mm	1	Set	10	1000
7697203400	Partial extn. (7/8") undermount slide,400 mm	1	Set	10	1069
7697203450	Partial extn. (7/8") undermount slide,450 mm	1	Set	10	1167

1. Wire Baskets
2. Bottle Pull Out - 2 tier
3. Dish Drainer

# SS WIRE SERIES



## Technical Specification

- Stainless steel grade
- Best in class design
- Chrome finish
- 100 hours salt spray test

## Plain Wire Baskets (500 mm depth)

Product	Article No	Description	Qty	Unit	PU	MRP
	400PB1504	386 x 100 Cab. 450 mm	1	Pc	8	1971
	400PB1506	386 x 150 Cab. 450 mm	1	Pc	5	2311
	400PB1508	386 x 200 Cab. 450 mm	1	Pc	4	2640
	400PB1704	436 x 100 Cab. 500 mm	1	Pc	8	2154
	400PB1706	436 x 150 Cab. 500 mm	1	Pc	5	2515
	400PB1708	436 x 200 Cab. 500 mm	1	Pc	4	2885
	400PB1904	486 x 100 Cab. 550 mm	1	Pc	8	2344
	400PB1906	486 x 150 Cab. 550 mm	1	Pc	5	2719
	400PB1908	486 x 200 Cab. 550 mm	1	Pc	4	3105
	400PB2104	536 x 100 Cab. 600 mm	1	Pc	8	2401
	400PB2106	536 x 150 Cab. 600 mm	1	Pc	5	2786
	400PB2108	536 x 200 Cab. 600 mm	1	Pc	4	3171

## Cup & Saucer Baskets (500 mm depth)



Product	Article No	Description	Qty	Unit	PU	MRP
	400CS1504	386 x 100 Cab. 450 mm	1	Pc	8	2292
	400CS1704	436 x 100 Cab. 500 mm	1	Pc	8	2499
	400CS1904	486 x 100 Cab. 550 mm	1	Pc	8	2563
	400CS2104	536 x 100 Cab. 600 mm	1	Pc	8	2754

## Plate Baskets (500 mm depth)



Product	Article No	Description	Qty	Unit	PU	MRP
	400PL1506	386 x 150 Cab. 450 mm	1	Pc	5	2689
	400PL1706	436 x 150 Cab. 500 mm	1	Pc	5	3299
	400PL1906	486 x 150 Cab. 550 mm	1	Pc	5	3399
	400PL2106	536 x 150 Cab. 600 mm	1	Pc	5	3499

## Thali Baskets (500 mm depth)



Product	Article No	Description	Qty	Unit	PU	MRP
	400TB1508	386 x 200 Cab. 450 mm	1	Pc	4	2940
	400TB1708	436 x 200 Cab. 500 mm	1	Pc	4	3150
	400TB1908	486 x 200 Cab. 550 mm	1	Pc	4	3284
	400TB2108	536 x 200 Cab. 600 mm	1	Pc	4	3391



## Technical Specification

- Maximum height coverage
- Chrome finish
- Compatible with telescopic runner

## Wire Bottle Pull out

Article No	Description	Qty	Unit	PU	MRP
400BP1806	2 Tier Bottle Pull Out cab. 150 mm	1	Pc	1	2846
400BP1808	2 Tier Bottle Pull Out cab. 200 mm	1	Pc	1	3112
400BP1810	2 Tier Bottle Pull Out cab. 250 mm	1	Pc	1	3345



## Technical Specification

- 2 layer with dip tray
- Chrome finish
- Best in class design

## Dish Drainer

Article No	Description	Qty	Unit	PU	MRP
400DDT600	Dish Drainer Set for cab.600 mm	1	Pc	1	3799
400DDT900	Dish Drainer set for cab. 900 mm	1	Pc	1	5199

1. Bottle pull out
2. Magic Corner
3. Pantry Unit
4. Cutlery Tray

# KITCHEN ACCESSORIES



### Technical Specification

- Anthracite Finish
- Gradual closing for smooth movement
- Robust design structure for optimum space utilization
- Better space storage
- Universal mechanism for left and right side mounting

### Glass Bottle Pull out

Article No	Description	Qty	Unit	PU	MRP
400GP2008	2 Tier Glass Pull Out cab. 200 mm	1	Pc	1	9900
400GP2010	2 Tier Glass Pull Out cab. 250 mm	1	Pc	1	10900
400GP2012	2 Tier Glass Pull Out cab. 300 mm	1	Pc	1	11900



### Technical Specification

- Anthracite finish
- Full extension soft close mechanism
- Robust design structure for optimum space utilization
- Anti-skid base for non slip of items
- Universal mechanism for both side corner cabinets

### Universal Magic corner

Article No	Description	Qty	Unit	PU	MRP
400UMC450	Universal Magic Corner for Cab. 900 mm	1	Set	1	29990



## Technical Specification

- Anthracite finish
- Adjustable and removable baskets for best customizations
- Gradual closing
- Robust design structure for optimum space utilization
- Anti-skid base for non slip of items

## Pantry Glass Unit

Article No	Description	Qty	Unit	PU	MRP
400PU4504	Glass Pantry Unit for Cab. 450 mm 4+4 baskets 1500-1700 mm	1	Set	1	27990
400PU4506	Glass Pantry Unit for Cab. 450 mm 6+6 baskets 1900-2100 mm	1	Set	1	33990
400PU6004	Glass Pantry Unit for Cab. 600 mm 4+4 baskets 1500-1700 mm	1	Set	1	33990
400PU6006	Glass Pantry Unit for Cab. 600 mm 6+6 baskets 1900-2100 mm	1	Set	1	39990



## Technical Specification

- Anthracite super matt finish
- Easy to clean
- Trimmable from sides
- Ideal for storing cutlery utensils

### Cutlery Tray Trimmable (Fixed Partition Cutlery) - Anthracite for 500 mm Depth Drawer

Article No	Description	Qty	Unit	PU	MRP
400CTAM45	Cutlery Tray for Cabinet Width 450 mm	1	Pc	10	692
400CTAM60	Cutlery Tray for Cabinet Width 600 mm	1	Pc	10	969
400CTAM90	Cutlery Tray for Cabinet Width 900 mm	1	Pc	10	1385

# GET IN TOUCH



022-4450-5565



Info@gotc.in



GOTC INDIA Pvt Ltd.  
Office no. 503 Man  
Excellenza, Ville parle west,  
Mumbai:400056



gotc.in

